



Defensive CSS

Ahmad Shadeed

Paris Web, Oct 2022



Hello, I'm Ahmad! 🙌

- UX Designer, Frontend Developer
- Author of Debugging CSS book
- Writer on ishadeed.com

A bit of history

The screenshot shows a web browser window with the title bar "Defensive CSS - Ahmad Shadeed". The address bar contains the URL "ishadeed.com/article/defensive-css/". The browser's toolbar includes various icons for file operations, search, and extensions. Below the toolbar is a menu bar with "Apps", "28 Jun", and other items. The main content area features a blue header banner with the text "I published a book about debugging CSS. [Buy now](#)". On the left side, there is a circular profile picture of Ahmad Shadeed and his name "Ahmad Shadeed" vertically aligned next to it. The main article title is "Defensive CSS" with a date "07 Dec 2021". A note in a callout box states: "👉 This article has been expanded into a new project called Defensive CSS. Due to the fact that the content here will not be updated, I recommend you to read defencivecss.dev instead." The article content discusses the purpose of Defensive CSS and its relationship to the original article.

Defensive CSS

07 Dec 2021

👉 This article has been expanded into a new project called Defensive CSS. Due to the fact that the content here will not be updated, I recommend you to read defencivecss.dev instead.


Oftentimes, we wish that there was a way to avoid a certain CSS issue or behaviors from happening. You know, content is dynamic, and things can change on a web page, thus increasing the possibility of a CSS issue or a weird behavior.

Defensive CSS is a collection of snippets that can help you in writing CSS that is protected. In other words, you will have fewer issues in the future. If you follow my blog, you might read an [article](#) I wrote a while back which is called “The just in case mindset”. This is built upon it, and will be an ongoing list of snippets. If you have any suggestions, please feel free to let me know about it.


Table Of Contents

- [Flexbox wrapping](#)

A bit of history



Unknown content
can break layouts



Ahmad Shadeed


Cool, I'm in . 2hrs




Original



Title is wrapped into a new line



Pushed the link to a new line



Articles

[View all](#)



...
...




...
...




...
...

An image with a
different aspect ratio



- Is the image coming from the backend always have a consistent aspect ratio?
- What will happen to the image when the title is too long?

An image with a
different aspect ratio



Modern CSS made our
life easier

Comparison Functions

Subgrid

CSS Grid

Flexbox

Container Queries

CSS Variables

:has

Logical Properties

With all that, we still face layout issues

Not because of CSS, of course..

Perfect Design


Fresh Bread

Orders Delivery FAQs 2

Freshly baked bread to your doorstep, everyday!

We use the best ingredients to produce the best bread and pastries ever!

[Order now](#)



Available now



Sandwich bread

[+](#)



Cheesy bites

[+](#)



Muffins

[+](#)



Zeit W Zaatar Layers

[+](#)

Pre-order only









Real Content

Available now

The screenshot shows a website for "Fresh Bread". At the top, there's a navigation bar with a bread icon, the text "Fresh Bread", and links for "Orders", "Delivery", "FAQs", and a shopping cart icon with the number "2". Below the header is a large orange banner with the text "Freshly baked bread to your doorstep, everyday!". To the right of the banner is a photograph of several round, patterned pastries stacked on a plate. On the left side of the banner, there's a block of text: "We use the best ingredients to produce the best bread and pastries ever! And we decided to add a bit of more content because it will look more important and useful to our users even though they will never read this content in there." A pink circle with the number "2" is placed near the end of this text block. Below the banner, there's a call-to-action button with the text "Sign up for offers" and a pink circle with the number "4" next to it. To the right of the button is a small number "1" in a pink circle. Further down, there's a section titled "Available now" with five product cards:

- Sandwich bread +
5
- Cheesy bites Sold out!
- Muffins and a bit more text +
3.1
- Zeit W Zaatar Layers Bread +
3.2


At the bottom, there's a section titled "Pre-order only" with three partially visible product cards.

Example Component




Muffins






Short title




Title with sold out

Sold out!



object-fit: cover

Avoid the image being stretched



Padding from the right, or gap, are important





Defensive CSS

Strategy to write bullet-proof CSS



Defensive CSS

Strategy to write bullet-proof CSS

Designers

Designing component with
unknown content in mind

Frontend Developers

It can act as an advanced
CSS reset

QA Engineers

Can be a checklist of common
UI issues to test


Designers

Designing UIs with unknown
content in mind




What if..?

CSS trouble maker



Short title




Title with sold out

Sold out!



object-fit: cover

Avoid the image being stretched



Padding from the right, or gap, are important



Frontend Developers

Think of it as a CSS Reset



```
/* [1] Break words when there is enough space */
h1, h2, h3, h4, h5, h6, p, a {
    overflow-wrap: break-word; /* [1] */
}

/*
[1] Set a maximum width for an image
[2] Let the image cover its bounding box to avoid distortion.
*/
img {
    max-width: 100%; /* [1] */
    object-fit: cover; /* [2] */
}
```

QA Engineers

Checklist to common UI issues to test




Defensive CSS Properties

- flex-wrap
- object-fit
- overflow-break
- padding
- min-width
- min-height
- max-width
- max-height
- overscroll-behaviour
- scrollbar-gutter
- overflow
- Background colors
- Media queries
- Border



Defensive Tips

Images



Defensive Tips

Image maximum width

Defensive tips / **Image maximum width**

With max-width




w/o max-width



Defensive tips / **Image maximum width**

```
img {  
    max-width: 100%;  
    object-fit: cover;  
}
```



Defensive Tips
Background repeat

Defensive tips / **Background repeat**

Small screen



Large screen



The image is repeating 😞

Defensive tips / **Background repeat**

```
.hero {  
    background-image: url('..');  
    background-repeat: no-repeat;  
}
```



Resize me

Toggle Defensive



Defensive Tips

Image Distortion



Dawood Basha

Meat balls with tomato sauce

Defensive tips / **Image distortion**

Good & healthy photo



Squeezed photo



Chocolate Bread


Delicious and easy recipe

```
.card__thumb {  
    object-fit: cover;  
}
```




Chocolate Bread

Delicious and easy recipe



Resize me

Toggle Defensive



Defensive Tips
Text over image



Defensive tips / **Text over image**



Brownies

```
.card__img {  
    background-color: #2a3137;  
}
```

Default





Image didn't load




CSS Flexbox



Defensive Tips
Flexbox Wrapping


Defensive tips / **Flexbox wrapping**

```
.options-list {  
    display: flex;  
}
```




Defensive tips / **Flexbox wrapping**

```
.options-list {  
    display: flex;  
}
```




```
.options-list {  
    display: flex;  
    flex-wrap: wrap;  
}
```



[Home](#) [Articles](#) [Defensive](#)
^ > [CSS](#)

Resize me

Toggle Defensive



Defensive Tips

Default flexbox stretching

Defensive tips / Default flexbox stretching

```
<div class="person">
    
    <div class="person__content">
        <h3>Ahmad Shadeed</h3>
        <p><!-- Description goes here.. --></p>
    </div>
</div>
```

```
.person {
    display: flex;
}
```

Defensive tips / **Default flexbox stretching**

Default




Ahmad Shadeed



Long content



Ahmad Shadeed



Defensive tips / Default flexbox stretching

```
.person__avatar {  
    /* other styles */  
    align-self: start;  
}
```

Default




Ahmad Shadeed



Long content



Ahmad Shadeed



Default




Ahmad Shadeed



Long content



Ahmad Shadeed






Consectetur adipisicing elit. Doloremque harum est eum aperiam sed ut soluta quia nisi asperiores autem. Corporis consectetur amet sapiente necessitatibus veritatis aut quia maiores. Enim. t soluta quia nisi asperiores autem. Corporis consectetur amet sapiente necessitatibus veritatis aut quia maiores. Enim

Resize me






Defensive Tips

Flexbox Minimum Content Size


Defensive tips / Flexbox min content size

```
.card {  
    display: flex;  
}
```




```
.card__title {  
    overflow-wrap: break-word;  
}
```

✗ won't have an effect



Defensive tips / **Flexbox min content size**


```
.card__title {  
  overflow-wrap: break-word;  
  min-width: 0;  
}
```



Resize me


This is a
sample title that is a big long

Toggle Defensive



Defensive Tips
Avoiding space-between

justify-content: space-between





justify-content: space-between



Defensive tips / **Avoiding space-between**

```
.wrapper {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 1rem;  
}
```





Resize me



Toggle Defensive

CSS Grid




Defensive Tips

CSS Grid Minimum Content Size

Defensive tips / Grid min content size

```
.section {  
  display: flex;  
  overflow-x: auto;  
}
```



Defensive tips / Grid min content size

```
.section {  
  display: flex;  
  overflow-x: auto;  
}
```

main 1221 * 2500

Elements

```
<div class="wrapper">  
  <main class="main"></main>  
  <aside class="sidebar"></aside>  
</div>
```

Styles


```
filter  
.main {
```

On the parent level:

- Replace 1fr with minmax(0, 1fr)

On the grid item level:

- Set min-width: 0 on the grid item
- Set overflow: hidden






A

Resize me

Toggle Defensive




vs

Defensive Tips
Auto-fit Vs Auto-fill

auto-fill

```
repeat(auto-fill, minmax(200px, 1fr));
```


Don't auto expand the cols when more space is available



auto-fit

```
repeat(auto-fit, minmax(200px, 1fr));
```


Expand the cols when more space is available




Defensive tips / **Auto-fit vs Auto-fill**

```
.wrapper {  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    grid-gap: 1rem;  
}
```

Four items




One item




Defensive tips / **Auto-fit vs Auto-fill**

```
.wrapper {  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    grid-gap: 1rem;  
}
```

Four items



One item




Resize me

CSS is awesome

CSS is awesome


Toggle Defensive




Defensive Tips
CSS grid fixed values

Defensive tips / **CSS grid fixed values**

```
.wrapper {  
  display: grid;  
  grid-template-columns: 200px 1fr;  
  gap: 1rem;  
}
```




Be careful of fixed values in CSS grid. They will break on mobile




Defensive tips / **CSS grid fixed values**

```
.wrapper {  
  display: grid;  
  grid-template-columns: 1fr;  
  gap: 1rem;  
}  
  
@media (min-width: 600px) {  
  .wrapper {  
    grid-template-columns: 250px 1fr;  
  }  
}
```




Unknown Content




Defensive Tips
Long Content

Defensive tips / **Long content**


Default



Long content



Wrap into a new line




```
.person {  
  flex: 1;  
  min-width: 0;  
}
```

Defensive tips / Long content


Truncated

```
.title {  
    white-space: nowrap;  
    overflow: hidden;  
    text-overflow: ellipsis;  
}
```



Defensive tips / **Long content**

Hidden with a gradient,
show full text on hover




**Defensive CSS is a good way to write
bullet-proof CSS!**


More

Resize me

Toggle Defensive





Defensive Tips
Component Spacing



A list of all the useful topics for TODAY 



```
.section__title {  
  margin-right: 1rem;  
}
```




**Defensive CSS is a good way to write
bullet-proof CSS!**

More

Resize me

Toggle Defensive




Defensive Tips
Fixed sizes

```
.hero {  
    height: 350px;  
}
```




```
.hero {  
  min-height: 350px;  
}
```




Defensive tips / Fixed sizes / Width

```
.button {  
    width: 6rem;  
}
```



```
.button {  
  min-width: 6rem;  
  padding-inline: 1rem;  
}
```



Resize me

Lorem ipsum dolor sit amet consectetur adipisicing elit. Veritatis maxime aspernatur fugiat animi? Quae adipisci tenetur culpa quidem iste non quas, beatae, dolorem neque aut sunt magni minus, amet praesentium.

Toggle Defensive

Scrollbars



Defensive Tips

Scrollbars on demand

overflow-y: scroll



Content is long
The scrollbar is visible



Content is short
The scrollbar is visible

Defensive tips / **Scrollbars on demand**

```
.element {  
    overflow-y: auto;  
}
```

overflow-y: auto



Content is long

The scrollbar is visible



Content is short


The scrollbar is **not** visible




Defensive Tips
Scrollbar gutter

Defensive tips / **Scrollbar gutter**

Before



After




A scrollbar is shown because the content is longer

Defensive tips / **Scrollbar gutter**


```
.element {  
    scrollbar-gutter: stable;  
    overflow-y: auto;  
}
```

Short content



■ Scrollbar space is reserved

Long content



Content grows. No layout changes

[HTML](#)[SCSS](#)[JS](#)

Result

EDIT ON
CODEPEN

Scrollbar-gutter

[Add content](#)[Add gutter](#)[Reset](#)

 16px padding  Gutter

 Lorem ipsum dolor sit amet
 consectetur adipisicing elit. Aliquam,
 asperiores tempore debitis sunt
 porro.


Resources

1x

0.5x

0.25x

Rerun



Defensive Tips
Scroll chaining

overscroll-behavior: **auto**

When we reach the modal boundary, the scrolling
will start on the body content



Defensive tips / **Scroll chaining**

```
.modal__body {  
    overscroll-behavior-y: contain;  
    overflow-y: auto;  
}
```

overscroll-behavior: **contain**

- The scrolling is contained within the modal






non nostrum, d
velit excepturi
.
necessitatibus veritatis aut quia maiores. Enim

premque harum est eum
consectetur amet sapiente

Title

Toggle Defensive

Media Queries




Defensive Tips

Vertical media queries

Two ways to test vertical media queries


Assumption

You assume that the user's browser is occupying the full width & height of the screen





Reality

But in reality, the browser window is resized



Defensive tips / Vertical media queries





The diagram illustrates a mobile navigation menu with a vertical media query. On the left, a white card shows the menu items: Brand, Home, Explore, Notifications, and Messages. A curved arrow points from the bottom of the card to the right, where a dark gray background shows the menu items stacked vertically: Home, Messages, Explore, Notifications, and Messages. This visualizes how the menu breaks into two columns when the viewport height is too small.

Brand

- Home
- Explore
- Notifications
- Messages

Home Messages

Explore


Notifications

Messages

Breaks with a small
viewport height

```
@media (min-height: 500px) {  
    .element {  
        position: fixed;  
        left: 0;  
        bottom: 0;  
    }  
}
```


With that, the element will be `fixed only if the
viewport height is 500px or higher



Defensive Tips

Accidental hover on mobile

Defensive tips / **Accidental hover on mobile**



Defensive tips / Accidental hover on mobile

```
@media (hover: hover) {  
  .card:hover {  
    /* Add hover styles.. */  
  }  
}
```

Give Defensive CSS a try

Thank you

 defensivecss.dev

 @DefensiveCSS